APR 1 9 2013

124

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: Elevation: 717' Quadrangle: Grantsville County: Calhoun Latitude: Feet South of Deg. Min. Sec. Longitude: Feet West of Deg. Min. Sec. Well Type: OIL X GAS X Company Buckeye Oil Producing Co. Coal Operator N/A PO Box 129 or Owner Wooster, OH 44691 Coal Operator Agent Henry W. Sinnett or Owner Permit Issued Date 9/28/11 Ohio AFFIDAVIT STATE OF West-Argoritia. County of Wayne. ss: Mark S. Lytle and Henry W. Sinnett being first duly sworm according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class "A" cement 380" or 4- untrooven Description of monument: 4" x 6-1/4 casing filled w/cement and API # statched and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further-deponents saith not. Why commission expires: Nov. 4, 2017 My commission expires: Nov. 4, 2017 My commission expires: Nov. 4, 2017	Farm name:	ive addresses. Richards, Ivan O.	& Esther	Operator Well	No.: Tazwell	Taylor	
District: Sheridan County: Calhoun Latitude: Feet South of Deg. Min. Sec. Longitude: Feet West of Deg. Min. Sec. Well Type: OIL X GAS X Company Buckeye Oil Producing Co. Coal Operator N/A PO Box 129 or Owner Wooster, OH 44691 Coal Operator Or Owner Wooster, OH 44691 Agent Henry W. Sinnett or Owner Permit Issued Date 9/26/11 Ohio AFFIDAVIT STATE OF Wester Annotation, County of Waly Ne. ss: Mark S. Lytle and Henry W. Sinnett being first duty sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class "A" cement 380" 0' 4- unknown Description of monument: 4" X 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further-deponents saith not Wall J L Lib. Sworn and subscribe before me this 2nd day of April 2013 OCHERYL L. BECKET NOTARY PUBLIC. STATE OF 1 OCHERYL L. BECKET	LOCATION:	Elevation: 717'		Quadrangle:	Grantsville		
Latitude:Feet South ofDegMinSec. Longitude:Feet West ofDegMinSec. Well Type: OIL							
Longitude:Feet West ofDegMinSec. Well Type: OILXGASX				•		Sec.	
Well Type: OIL X GAS X Company Buckeye Oil Producing Co. Coal Operator or Owner PO Box 129							
PO Box 129 Wooster, OH 44691 Coal Operator or Owner Agent Henry W. Sinnett or Owner Permit Issued Date 9/26/11 Ohio AFFIDAVIT STATE OF WEST MARCHIMA. County of Wayne ss: Mark S. Lytle and Henry W. Sinnett being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 20 12 and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class 'A' cement 380' 0'		_					
Agent Henry W. Sinnett or Owner Permit Issued Date 9/26/11 Chio STATE OF WEST-ARCOUNTS, County of Nature series and say that they are experienced in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class 'A' cement 380' 0' -0- unknown Description of monument: 4' x 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not WALL LIBECKEF NOTARY PRIEDLIC. STATE OF MY COMMISSION EXPIRES NOV.	Company						
Agent Henry W. Sinnett or Owner Coal Operator or Owner AFFIDAVIT STATE OF WEST-PROSINA. County of Jayne ss: Mark S. Lytle and Henry W. Sinnett being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class 'A' cement 380' 0' -0- unknown Description of monument: 4' x 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not. WARL Little Sworm and subscribe before me this 2nd day of April 2013 CHERYL L. BECKER NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.			or Owne	<u> </u>			
AFFIDAVIT STATE OF WEST VIRISHIA. County of Wayne ss: Mark S. Lytle and Henry W. Sinnett being first duty sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May , 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class 'A' cement 380' 0' 0' 0- unknown Description of monument: 4' x 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not. Sworn and subscribe before me this 2nd day of April 2013 CHERYL L. BECKEF NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.	_	Henry W. Sinnett	-				
STATE OF WEST ARRONNIA, County of Wayne ss: Mark S. Lytle and Henry W. Sinnett being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May 2012, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Class 'A' cement 380' 0' -0- unknown Description of monument: 4' × 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not. WAYNE April 2013 CHERYL L. BECKET NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.	Permit Issu	ed Date <u>9/26/11</u>					
Description of monument: 4' x 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not. Sworn and subscribe before me this 2rd day of April , 20 13 CHERYL L. BECKEF NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.	Mark S. Lytle and say that the well operator.	hey are experienced in the ward participated i	work of plugging a	nd filling oil and d filling the abo	gas wells and were	e employed by the at said work was com	ove named
Description of monument: 4' x 6-1/4 casing filled w/cement and API # attached and that the work of plugging and filling said well was completed on the 3rd day of August 2012. And further deponents saith not. Sworn and subscribe before me this 2rd day of April , 20 13 CHERYL L. BECKEF NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.	TYPE	l FROM	то	PIPE REM	MOVED	LEFT	
Sworn and subscribe before me this 2nd day of April 2013 CHERYL L. BECKER NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.		i i	i				
Sworn and subscribe before me this 2nd day of April 2013 CHERYL L. BECKER NOTARY PUBLIC. STATE OF MY COMMISSION EXPIRES NOV.							
My commission expires: Nov. 4, 2017 My commission expires: Nov. 4, 2017 MY COMMISSION EXPIRES NOV.	said well was	completed on the 3rd			and that	the work of plugging	g and filling
Notary Bablic		subscribe before me this	2nd day of April		20_13	CHERY	L L. BECKER
Affidavit reviewed by the Office of Oil and Gas:		n expires: Nov. 4, 201	17	1 Strong	& Becker	NOTARY PUE	LIC. STATE OF OH

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	KAPLING	GER, DALE	AND MELISS	Operator Wel	No.: G.A. ROSS	5 2	
LOCATION:	Elevation	1098'		Quadrangle:	New Milton		
	District:	Ne Milton		County	Doddridge Co		
	Latitudo:		East South of	Dog	Min		
	Lautude.		_ reet South of _	Deg	IVIIN	BEOP	
	Longitude	e:	Feet West of _	Deg.	Min	Siffice of EVV	ED
Well Type: 0	OIL	_GAS <u>X</u>	-			Sec. RECEIVE OF Oil	S Gas
Company		esources W		erator		"'AT 827"	2
	PO Box 8		or Owne			NV Departmental Prot	J
	Ravenswoo	od, WV 26201			-	NITON PORTER	f a
			Coal Op	perator		THE PICE	COF
Agent	Diana Ca	amper	or Owne				^{BC} ÜOn
Permit Issue	ed Date	03/04/2013					- • •
STATE OF W	EST VIRGI	INIA	Al	FFIDAVIT			
County of Roar		SS:					
		-					
Terry Rexroad			y Whited			worn according to law depo	
						employed by the above namaid work was commenced	
					ed and filled in the fo		OII
	,		_,,	von mao piagg		onewing mainer.	
TYPE	F	ROM	TO	PIPE RE	MOVED	LEFT	
6 % GEL		2180	SURFACE	1400 OF 7	" CASING	628' OF 7"	
CEMENT		2180	2000	370" OF 8 5	/8 CASING	750' OF 8 5/8 CASING	
CEMENT	<u> </u>	1400	1300				
CEMENT		1120	920				_
CEMENT	1	780	680				_
CEMENT	_	400	300				_
CEMENT	<u> </u>	100	SURFACE				_
Description	of monume	ent: 7" casing with	api # welded on		and that	the work of plugging and filli	ng
said well was o	completed o	on the <u>25</u> d	ay of APRIL	, 20 <u>13</u> .	Ş-~	-	~~~~~~
A 6:							ALSEAL PUBLIC
And further	deponents	saith not	/-/-			STATEOFWI	ESTVIRGINIA
			Jay White		} {	SHELLYV RP. 1, B	VELLING
		_	1		1.2	Given, West V	noinia 25245
Swom and	subscribe b	efore me this _	<u>(o</u> day of <u>// (</u>	ay	, 20 <u>13</u> !	My Commission Exp	Hes Nov. 19, 2018
My commission	n expires:_	11/19/18	_	Shelly	Welling Public		
Affidavit review	ved by the (Office of Oil and	Gas: Doug	Par 11 oc	•	: Oct o Das	insperta

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	COFFM	AN, ORA &	NANCY	Operator Well	No.: I. WARNE	R 5		
LOCATION:	Elevation	<u>:</u> 874		Quadrangle:	New Milton			
LOOATION.							_	
	Latitude:		Feet South of _	Deg	Min	Sec.	_ Dra	_
	Longitude	e:	_ Feet West of _	Deg.	Doddridge Min	Sec.	Office of	EIVED
Well Type: (ווכ	GAS ×					10.01	Ull & Gas
			•				МДҮ	8 2012
Company		esources	Coal Op				10/	o 2013 ment of Protection
	PO Box 8		or Owne	r		Envii	v Depar	Mentas
	Ravenswoo	od WV 26164					<u> Unmentai</u>	Prote
	Diona S	tampar						· ICLECTION
8	Diana Si		or Owne					
Permit issu	ed Date	02/28/2013						
			Al	FFIDAVIT				
STATE OF W	/EST VIRGI	INIA,						
County of Roa	ne	_ ss:						
Terry Rexroad		اهل محمد العاد	y Whited		boing first duly		ina ta law dana	•
					being first duly gas wells and were			
•				_	ove well say that			
the 15	day of	March	_, 20 <u>13</u> , and the v	vell was plugg	ed and filled in the	following mar	nner:	
								-
TYPE	<u> </u>	ROM	TO	PIPE RE	·	LEF	-	1
6% Gel		1910	surface		of 4 1/2	unkno		<u> </u>
cement	1	1910	1780	20 0	of 7" [unkn	own	1
cement	<u> </u>	900	800		<u> </u>		•	<u>-</u>
cement	i	575	475					<u> </u>
cement		350	surface		İ			i
	1				i i			j
	_	78 apping with	ani ili walifadi an		ج	***************************************	·····	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
		ent: 7" casing with		00.13	and that	t the	lugging OF時代はA NOTARY	ISSEAL BUILDING
said well was	completea d	on the <u>21</u> da	ay of March	, 20 <u>13</u> .	 	Sia a B	STATEOFWE	
And further	deponents	saith not.	///		{		SHELLYW RP. 1, 80	
	•	_		7	{		Given, West Vir	ginia 25245
		_	In What				Commission Expi	res Nov. 19, 2018
Sworn and	subscribe b	pefore me this _	(0_ day of _M	ay	, 20 <u>3</u>			
My commission	n expires:	1/19/18		Thel	Colary Public			
Affidavit reviev	wed by the (Office of Oil and	Gas: Doug	los Mei	0	tle: Oil 6	e Sas s	nopseto
			•					•

AFFIDAVIT OF PLUGGING AND FILLING WELL

RECEIVED
Office of Oil & Gas

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator; 3at their respective addresses. Operator Well No.: Maxwell 2 WV Department of Environmental Protection Farm name: Barton, Russell Quadrangle: New Milton LOCATION: Elevation: 1273 District: Ne Milton Doddridge Co County: Latitude: Feet South of Deg. Min. Sec. Longitude: Feet West of Deg. Min. Sec. Well Type: OIL ____ GAS X Exco Resources WV I Company **Coal Operator** PO Box 8 or Owner Ravenswood, WV 26201 Coal Operator Diana Camper Agent or Owner Permit Issued Date 03/04/2013 **AFFIDAVIT** STATE OF WEST VIRGINIA, County of Roane Terry Rexroad and Jay Whited __being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 24 day of April _____, 2013, and the well was plugged and filled in the following manner: PIPE REMOVED **LEFT TYPE FROM** TO 4013' of 4 1/2 6% Gel 5700 Surface 1713' of 4 1/2 5700 5500 2093' of 8 5/8 cement 5200 cement 5300 4900 4750 cement 2800 2550 cement 1713 1513 cement 1200 cement Description of monument: 7" casing with api # welded on and that the work of plugging and filling said well was completed on the 2 day of May 20 13 OFFICIAL SEAL NOTARY PUBLIC And further deponents saith not. STATE OF WEST VIRGINIA SHELLYWELLING RP. 1. Box 120 Given, West Virginia 25245 Sworn and subscribe before me this & day of Mau My Commission Expires Nov. 19, 2018 My commission expires: __![/|9/|8 Title: Oil ~ Dus inspector Affidavit reviewed by the Office of Oil and Gas:

WR-38 Rev.: 5/08

API# 47-1703130

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

i aim name.	Barton,	Russell		_Operator Well	No.: Maxwell 2	REC	EIVED
LOCATION:	Elevation	: 1273		Quadrangle:	New Milton	Unice of	EIVED Oil & Gas
				_ County:	Doddridge Co	MAY	8 2013
	Latitude:		Feet South of	Deg	Min	Sec.	8 2013
	Longitude	e:	_ Feet West of	Deg.	Doddridge CoMin	www.sec.epa	itment of
Well Type: 0	OIL	GAS X			Min	vii Orimenta	al Protection
Company	Exco Re	esources WV	Coal O	perator			
	PO Box 8		or Owr	ner			
	Ravenswo	od, WV 26201					
	D: 0			Operator	.		
Agent	Diana C		or Own	ner			
Permit Issu	ed Date	03/04/2013					
				AFFIDAVIT			
STATE OF W		NIA,					
County of Roa	ne	_ ss:					
Terry Rexroad		and ^{Jay}	Whited		being first duly s	worn according to I	aw depose
-				-	gas wells and were	employed by the abo	ove named
					ove well say that sa		nenced on
the 44	70 VCD						
	uay u		_, 20 <u>13</u> , and the	well was plugge	ed and filled in the f	ollowing manner:	
TYPE		ROM	_, 20 <u>13</u> , and the	PIPE RE		ollowing manner:	
TYPE		ROM	ТО				
TYPE cernent		ROM	TO 500				
TYPE cernent		ROM	TO 500				
TYPE cernent		ROM	TO 500				
TYPE cernent		ROM	TO 500				
TYPE cement cement	F	ROM 600 100	TO 500 surface		MOVED	LEFT	
TYPE cement cement	F	ROM 600 100	TO 500 surface	PIPE RE	MOVED	LEFT	
TYPE cement cement	F	ROM 600 100	TO 500 surface		MOVED	LEFT	OFFICIAL SEAL
TYPE cement cement Description said well was of	F	ROM 600 100	TO 500 surface	PIPE RE	MOVED	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC
TYPE cement cement Description said well was of	of monume	ROM 600 100	TO 500 surface	PIPE RE	MOVED	the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING
TYPE cement cement Description said well was of	of monume	ROM 600 100	TO 500 surface	PIPE RE	MOVED	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING RR 1, Box 120 n, West Virginia 25245
TYPE cement cement Description said well was of	of monume completed of deponents	ROM 600 100	TO 500 surface api # welded on by of May Jay kuh	, 20 <u>13</u> .	MOVED	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING
TYPE cement cement Description said well was of	of monume completed of deponents	ROM 600 100	TO 500 surface api # welded on ny of May	, 20 <u>13</u> .	MOVED	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING RR 1, Box 120 n, West Virginia 25245
TYPE cement cement Description said well was of	of monume completed of deponents	nt: 7" casing with on the 2 da saith not.	TO 500 surface api # welded on by of May Jay kuh	PIPE RE	and that	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING RR 1, Box 120 n, West Virginia 25245
TYPE cement cement Description said well was of And further	of monume completed of deponents	nt: 7" casing with on the 2 da saith not.	TO 500 surface api # welded on by of May Jay kuh	PIPE RE	MOVED	LEFT the work of plugging	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING RR 1, Box 120 n, West Virginia 25245
TYPE cement cement Description said well was of And further Sworn and My commission	of monume completed of deponents subscribe b	nt: 7" casing with on the 2 da saith not.	api # welded on by of May Jay White day of May	PIPE RE	and that	the work of plugging STA	OFFICIAL SEAL NOTARY PUBLIC TE OF WEST VIRGINIA SHELLY WELLING RR 1, Box 120 n, West Virginia 25245

STATE OF WEST VIRGINIA **DEPARTMENT OF ENVIRONMENTAL PROTECTION** OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	JOHN & CATHY	TOMASIC	;	Operator Well	No.: L. L. CRAW	/FORD #4	
LOCATION	Elevation: 1080'			Quadrangle:	PHILIPPI		
LOOAHON.	District: ELK			Quadrangle.	HARRISON		
	Latitude:						
	Longitude:	Feet W	est of _	Deg	Min	Sec.	
Well Type: (OILGAS	<u>. </u>					
Company	EXCO RESOURCES	(PA), INC.	Coal Ope	rator			RECEIVED
1 7	P.O. BOX 8	0	or Owner			Offi	ce of Oil & Gas
	RAVENSWOOD, WV 26	3164					bo or cas
		(Coal Op	erator			MAY 8 2013
Agent	DIANA STAMPER		or Owner				
Permit Issue	ed Date 03/04/20	13				WW	Department of
			A F			Environ	mental Protection
STATE OF W	EST VIRGINIA,		AF	FIDAVIT			
RONALD S. RI	IDERT	IEEE I EWIS					
	ney are experienced in t				being first duly s		
•	and participated in the	•		•	•		
	day of <u>22</u>						
TYPE	FROM	TO		PIPE REI	MOVED	LEFT	
CEMENT	4270'	3623'		4 1/2" CASI		4 1/2" CASING-	1686'
CEMENT	2614'	2486		10° CASII		10° CASING-3	
CEMENT	2331'	2131'	<u> </u>	16" CONDL	ICTOR-0'	16" CONDUCTO	<u>)R-16'</u>
CEMENT	1856'	1600'	<u> </u>		<u> </u>		
CEMENT	1450'	950'	<u> </u>				
CEMENT	661' 252'	500' SURFACE			-		
CEMENT	252	SURFACE	= }		1		
	of monument: 7" CASIN completed on the APRIL	day of ³⁰	IT NUMBE	R WELDED ON , 20 <u>13</u> .	SIDE and that	the work of plug	ging and filling
					~~		OFFICIAL OFFI
And further	deponents saith not.	fluille	16			OF WIST RIV	OFFICIAL SEAL NOTARY PUBLIC
		111	, /		16	S A S	TATE OF WEST VIRGINIA
		44	ne	<u> </u>			SHELLY WELLING RR 1, Box 120
Sworn and	subscribe before me thi	s_3_day	of _ <i>M</i>	ay	20 13	My Con	iven, West Virginia 25245 nonission Expires Nov. 19, 2018
My commission	n expires:	<u> </u>	·	Shelly	Welling other Public		
Affidavit review	red by the Office of Oil a	and Gas:) ougu	les Au	vlor Title	: Oil ol	Sus inspector

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	JOHN &	CATHY TO	MASIC	Operator Well	No.: L.L. CRAV	VFORD #3	
LOCATION:	Elevation	_: 1245'		Quadrangle:	PHILIPPI		
		ELK		County:			
				•	Min	Sec.	
					Min		
Well Type: (OIL	_GASX_					
Company	EXCO RE	ESOURCES W	/,INC. Coal Ope	erator		. RE	CEWED
	PO BOX 8		or Owne	r		Office of	DE CAED
	RAVENSW	OOD, WV 26164					CEIVED Of Oil & Gas
			Coal Op	erator		MAY	<u>*20</u> :3
Agent		STAMPER	or Owne	r			<u>873</u> 3
Permit Issu	ed Date	03/04/2013				MACH	
						Environment	of
STATE OF W	FST VIRGI	NIΔ	AF	FIDAVIT		6(11	a) Protection
County of HAR		•					- 54011
		•					
RONALD S. RI	JPERT	and JEF	F LEWIS		being first duly	sworn according to	law depose
•		erienced in the v	vork of plugging a	nd filling oil and	gas wells and were	employed by the ab	ove named
						said work was comm	nenced on
the 15	day of	APRIL	, 20 <u>13</u> , and the w	vell was plugge	ed and filled in the	following manner:	
TYPE	1 -	ROM	то	PIPE RE	MOVED	LEFT	 ;
6% GEL		4450'	SURFACE	2182' OF 4 1	i	2284' OF 4 1/2" CASI	NG
CEMENT		4450'	3803'	60' OF 6 5/8		215' OF 6 5/8" CASIN	
CEMENT	- i	2182'	1600'	ZERO	i	18' OF 16" CONDUCT	 i
CEMENT		300'	SURFACE				
	i	i					
						· · · · · · · · · · · · · · · · · · ·	
		nt: 7" CASING WI	TH API NUMBER V		E and that	the work of plugging	CARTONIUSEAL
said well was	completed of	on the <u>22</u> da	y of APRIL	, 20 <u>13</u> .	•		NOTARY PUBLIC 'E OF WEST VIRGINIA
And further	donononio	south not 1	Cond A.	1			HELLY WELLING
And further	deponents	Saith fiot				Giver	RR 1, 80x 120 n. West Virginia 25245
			All Auc	9	•		sion Expires Nov. 19, 201
			7900	· · /	10		
Swom and	subscribe b	efore me this 🕏	9 day of <u>U</u>	ril ,	, 20 <u>/</u> 2		
		uliaha	/	184	111.11.00	11/100 0	
My commission	n expires:	1111118	→	XNU	and the	wig	
			\bigcirc	N	otan Public		
Affidavit review	ed by the C	Office of Oil and (Gas: Noryll	1/ sw	TH	e: <u>Oil e M</u>	s suspector

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name;	JOHN & CATHY	TOMASIC	Operator Well	No.: L. L. CRAV	VFORD #5	
LOCATION:	Elevation: 1052'		Quadrangle:			
200/11/014	District: ELK		County:	HARRISON		
	· ·	Feet South of				
		Feet West of				
Well Type: (OIL GAS					
Company	P.O. BOX 8	S PA, INC. Coal Op	erator		RECE	IVED
	P.O. BOX 8	or Owne	er		Office of (∃il & G as
	RAVENSWOOD, WV 2	6164				0.000
					MAY	8 2013
Agent	DIANA STAMPER	0. 0 Wile	<u></u>		MINETERA	and the same of
Permit Issu	ed Date 03/04/20)13			WV Depa	
		ΔΙ	FFIDAVIT		Environment	al Protection
STATE OF W	EST VIRGINIA,	7.0				
County of HAR	RISON SS:					
RONALD S. R	UPERT and	JEFF LEWIS		being first duly	sworn according to	law danasa
	ney are experienced in					
	and participated in the		-	-		
the	day of APRIL	, 20 <u>13</u> , and the v	well was plugge	ed and filled in the	following manner:	
TYPE	FROM	то	PIPE RE	MOVED	LEFT	
6% GEL	4270'	SURFACE	4 1/2° CAS		4 1/2* CASING-214	5'
CEMENT	4270'	3623'	10 3/4" CA		10 3/4" CASING-580	
CEMENT	2125'	1925'	16" CONDU	JCTOR-0'	16" CONDUCTOR-1	5'
CEMENT	1590'	1300'				
CEMENT	614'	450'				
CEMENT	251'	SURFACE				
Description	of monument: 7" CASIN	G WITH PERMIT NUME	BER WELDED OF	SIDE and that	the work of plugging	a and filling
	completed on the 3	_ day of MAY	, 20 <u>13</u> .			OFFICIAL SEAL
		1.111			N	IOTARY PUBLIC
And further	deponents saith not.	pung 1. C				E OF WEST VIRGINIA IELLY WELLING
		Tell du	ch	{ \	4	RR 1, Box 120 West Virginia 25245
		1/1/100	1	<u> </u>	My Commiss	sion Expires Nov. 19, 2018
Sworn and	subscribe before me th	is $\underline{\varphi}$ day of \underline{f}	Cay	, 20 13		
My commission	n expires: <u>11/19/18</u>		She	cly Welling	2	
			N	otan Public		~
Affidavit review	ved by the Office of Oil	and Gas: Wongh	o Slew	you Titl	e: Del r Da	s inspector

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name:		P.C. Williams		Operator Well No.:	No. 22	
Location:	Elevatio	n: <u>1027'</u>		Quadrangle:	Wolf Sur	mmit 7.5'
	District			County:	Harrison	
	Latitude	•	Feet South of:	Deg	Mir	nSec.
	Longitud	ie:	Feet West of:	Deg	Mir	n. Sec.
Well Type:	Oil_X	Gas	ww			
Company: _		sources Inc.		Coal Operator		ountaineer Energy Compa
_	P.O. Box			or Owner		6 - Suite 115
		WV 26105		Cool Coo -too -	Clarksburg,	WV 26301
Agent: _	Philip S.	Ondrusek		Coal Operator _ or Owner	NA	····
Permit Issued	j:	6/11/12				
				DAVIT		
State of West	t Virginia, (County of	Wood	ss:		
F	Pat Taylor	and	I 31	im Lamo	being first d	uly sworn according to
			nced in the work of plu			
			e work of plugging and			
on the 27	7th day	of June	. 20 12 a	and the well was pluge	ed and filled in	the following manner:
	<u> </u>					
TYP	E	FROM	l TO	PIPE REI		LEFT
Cement	[2600'	2336'	4 1/2"	170'	2534'
Cement	l	250'	l 0'			
			1	i		
	!		<u> </u>			<u> </u>
			<u> </u>	<u>.</u>		
						•
		• •			<u>_</u>	
					<u></u>	
604 60 1 6				<u></u>	<u>.</u>	
6% Gel 1	setween Ce	ement Plugs	<u> </u>	i	<u> </u>	
Description o	f monume	nt•	4 1/2" x 5'		and that the wo	ork of alugaina
and filling sai	id well was	completed on the		lay of	July	
and many oc		completed on the			July	
And further o	teponentis :	saith not. £	et luft		-	
		(James) D.	Lame)		
Sworn and st	ubscribed t	pefore me this	7	day of augus	at	,20 12
My commissi	on expires:	Nov. 12	2018	-		- '- -
•			^			
Notary Public		Ince	1	,		***************************************
y i ubiit		· mee	7		NIC N	FFICIAL SEAL DTARY PUBLIC
Affidavit revi	ewed by th	ie ///	/// -	A Carl	STATE (OF WEST VIRGINIA \$
Office of Oil	and Gas:	11/1/1	2 A	1612	9 .1	GEOGRAPHIEL S
Title: 🕖	19 GAS	7			520 Parkersbur	50 Dupont Road 9. West Virginia 28101 fon Expires Nov. 12, 2018
<u>///</u>	. , 5, 15	- raspec	יאר		My Commiss	on Expires Nov. 12, 2018

RECEIVED
Office of Oil & Ga

MAY 08 2013

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS AFFIDAVIT OF PLUGGING AND FILLING WELL AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Well Operate their respect	or and the third co ive addresses. Thompson & Sor Elevation: 1,019.	py (and extra copie	s if rec	quired) :	should be ma	ailed to veach coa	operator at
Farm name:	Thompson & Sor	ns Land Co	Operat	or Well	No.: Lawson	n Heirs B-11	ironnental Gas
LOCATION:	Elevation: 1,019.	47 '	Quad	rangle:	Chapmany:	ille	Protection
	District: Guyan		Coun	tv:	Logan		• • • • • • • • • • • • • • • • • • • •
		Feet South of		-			
	Longitude:	Feet West of		_Deg	Min	Sec.	
Well Type: (OIL GAS _X	<u>: </u>					
Company	Cabpt 0il & Ga	s Corp Coal Op	erator	Laws	on Heirs	Inc.	
5	Penn Center W	Ste 401 or Owne	er	P 0	Box 332		
	Pittsburgh PA	15276		Boca	WV 25159		
		Coal O	perator				
_	Brian Hall		er				
Permit Issue	ed Date 9/10	/12					
	EST VIRGINIA, incolnss:		FFIDAV	/IT			
Roger Mo	Comas and	<u>Edbert Adki</u>	ns		being first du	uly sworn according	to law depose
well operator,	ey are experienced in the and participated in the day of <u>March</u>	work of plugging an	d filling	the abo	ve well say th	at said work was c	ommenced on
TYPE	FROM	TO	PI	PE REI	MOVED	LEFT	•
Gel Hole	Surface	3463'					
Cement	3463'	3160'					
Cement	1641'	1053'		0071		7" - 1299'	· .
Pull 4-1/2		897'		897 '		26781	•
Cement	972'	847'				9-5/8" - 839	·
Cement	200	Surface				1	
said well was o	of monument Erect completed on the29 deponents saith not.			47-45- 20 <u>13</u> .	-01207P and	Notary P	Iging and filling International Internation
	subscribe before me th	is <u>3</u> day of <u>H</u>	201	1	20/5/	· —	·
My commission	n expires: / U - / - J.	//	-//	No.	otary Public		
Affidavit review	red by the Office of Oil	and Gas: Barry	Stell	ingl		Title: Distruct	Suspense
		Robeld) of ru	pi Al	Y.	•	

API# 47-051-01281

Received

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

MAY 9 2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT	SHOULD	BE IN TR	IPLICATE,	one copy	mailed to	the Dep	artment, or	ne c t	MOW then	Office bearet	of Oil and G	BS N O mtoovice
Well Operator	and the	third copy	(and extra	copies if	required)	should	be mailed	to	each	coal	operator	at
their respective			-	•							•	

Farm name:	Villers, Robert F.	Орега	ator Well No.: 83104	17	
LOCATION:	Elevation: 1305'	Qua	drangle: Wileyville		
	District: Meade	Cou	N /		
	Latitude: 7500	Feet South of 39	•	00 Sec.	
	Longitude: 7075		Deg. <u>40</u> Min.		
	Longitude.	reel west of	Deg. <u></u> IVIII1.	Sec.	
Well Type: 0	OIL GAS <u>X</u>	<u> </u>			
Company	Chesapeake Appala	achia, LLC Coal Operator	r Consolidation Coal Co	ompany	
	P.O. Box 18496	or Owner	1000 Consol Energy D		
	Oklahoma City, OK 731	16-18496	Canonsburg, PA 1531	7	
		Coal Operato	r		
Agent	Eric Gillespie	or Owner			
Permit Issu	ed Date 06-02-20	011			
		AFFIDA	WIT		
STATE OF W	EST VIRGINIA,	אוווטר	· ·		
County of	ss:				
Podpov Ochor	20	. Charles Maara			
Rodney Osbori		Charles Moore the work of plugging and filling			
-	•	work of plugging and filling work of plugging and filling	-		
the 18th		, 20 <u>13</u> , and the well w			
TYPE	FROM	i i	PIPE REMOVED	LEFT	[
6% Gel	4012'	Surface	3315' of 2"	40' of 16"	
C1A Cement	3569'	3365'		1203' of 10 3/4" 2615' of 7"	
C1A Cement	1134'	1028'		4012' of 4 1/2"	
C1A Cement	254'	Surface		All casing cemented to su	rface
	İ	i			 i
				Perfd 6 holes @ 1079	9'
	. Alteriore of the	w/ Chesapeake, API, Well #, Plugged Date welded on 4	1° earrand hihing 38° above amused		
-	of monument; Attended to the 23rd	_ day of April	, 20 <u>13</u> .	d that the work of plugging	and filling
Said Well Was (completed on the	_ day or	., 20 <u>10</u> .		
And further	deponents saith not.	Koons a		EHAN	William .
		1. 4 San -		NOTARY	
		Charles Trun	<u> </u>	PUBLIC PUBLIC	
Swom and	subscribe before me th	is 25 day of A00	71 20 13	10 NO. 426403	n : I
		1 10	1 0 11	EXPIRES	
My commission	n expires: 9-24	<u>-14</u> 91	Uchelle H	Mcladia e 31242014.	
		18	Notary Public	TO TEAT LARG	
Affidavit review	ved by the Office of Oil	and Gas:	Nachisht	Title: ENVICONEN	Tal I pos pectol

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name:		A.W. Edgell			Оре	erator W	ell No.:	No.	100		
Location:	Elevatio	n: <u>1,018</u> '				adrangle			neyville 7	.5 '	
	District:				Cou	inty:			ne		
	Latitude			eet South of:		38	Deg	45	Min.		c.
	Longitu	de: <u>7950'</u>		Feet West of:	:	81	Deg.	15	Min.	Se	ec.
Well Type:	Oil	Gas		WIW_x	_						
Company:	East Re	sources Inc.			Coa	i Operat	or	NA			
<u> </u>	5260 Du	pont Road			or (Owner	_				
	Parkersi	ourg, WV 2610	1								
Agent:	Philip S.	Ondrusek		<u> </u>		l Operat	or _				
Permit Issued:		12/3/09			or (Owner	_				
		*		AF	FIDAVII	•	_				******
State of West	Virginia, (County of		Wood		:	ss:				
				_							
	r Heidma		and _							vorn accordi	
law, depose ar											
the above ope											
on the 14t	hday	of <u>Janu</u>	ary	, 20 <u>10</u>	_and the	well wa	s plugg	ed and fill	ed in the f	following ma	nner:
TYPE		FROM	1 1	TO	- 1	DTD	FREN	10VED	1	LEFT	_ i
Lyons	1	3614'	<u>'</u>	3600'	<u> </u>		N/A		1	N/A	- i
Inflatable	<u> </u>	3027	- 	3000	1		4 /A		- 	14/7	 ¦
Bridge Plug	,								+		
Bridge Piug	-										-
								~		<u> </u>	
1	11	NOTE: Partial (Diva Back						1		
<u> </u>	<u>''</u>	NOTE. Paruari	riug back		1				- 		
	<u> </u>				1				1		=
	<u>'</u>		<u> </u>		1				1		-
			<u> </u>		<u>1</u>				1		
<u> </u>	<u> </u>		<u> </u>		1				1		
6% Cal Rai	hween Ce	ment Plugs	<u> </u>		1				1	-69-	
078 Gel De	LWCCII CC	ment riugs		** ***	1					-O'	<u></u>
Description of	monumer	nt:	N	o Monument			ar	nd that the	work of	Rugging	Br
and filling said			the	714 TM	day of		JAV	MAY	/ ~	20 10	5
		-	197		1			7	Z,	4	A A
And further de	ponents s	aith not.	1/151	~ ~ ~	eldra				•	NA.	O ME
			The state of the s	- ()					_	•	St. of Children
			1 >	S XIII	Alin	14-				d	M. O.
Sworn and sub	scribed b	efore me this	10	3th	day of	N	Ay			, 20 13	Ď.
My commission		Aeric		20	,					<u></u>	
ing while is store	· exhiies:	MA	<u>-0, 20</u>				٠.			4	
Notary Public	۷	LLAP!	U			٠ ح			···········	~~~~~	•••••
•					3	•	OF THE	T DA			Į
Affidavit review	•	1/1				- \$.	N.A.		TATE OF V	VEST VIRGINI	A \$
Office of Oil an	d Gas:					1		此月		P.ROUSH	}
Two	1	ector				•	III.			30x 5519 : Virgkria 26105	. }
Title:	<u>~(>{ </u>		· · · ·	-		•	12.0	My Co	mmission E	opires Apr. 26,	2020
	Ď.	Q/10	(w	ittue!	51 2	Pl	······································	/	~~~~~~	***************************************	~~~ <i>~</i>

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: E	_		- •	
	Elevation: 96	61	Quadrangle: KIAHSVILL	E, WV 7.5'
: L	District: STONEY	VALL	County: WAYNE	•
	_atitude: (N) 38.			
	ongitude:		•	
(ongitude:			
Well Type: OI	L GAS	_		* ·
CompanyCH	BAPEAILE APPA	LACHIA, UCoal O	perator US ARMY Con	LPS. OF ENGINEERS
P	0 BOX 18496	or Own	HUNTINGTON, U	LEST
O _I	RAAHOMA CITY 73159-	.014	HUNTINGTON, V	VV 25701
	73154-	6496 Coal C	Operator	
Agent _		or Own	ner	
Permit Issued	Date <u>2-/2-</u>	2013		
		,	AFFIDAVIT	
STA OF WE	ST VIRGINIA,	•	AFFIDAVII	
County of Ro	ANE SS:		•	
DIEHAAN	Moore	GRAVER	But to Region first du	y sworn according to law depose
				ere employed by the above named
well operator, a	and participated in the	work of plugging a	and filling the above well say that	it said work was commenced on
the	day of <i>APRIL</i>	, 20 <u>/</u> _3 and the	e well was plugged and filled in	the following manner:
7/05		70	DIDE DEMOVED	LEET 1
TYPE	FROM	TO	PIPE REMOVED	LEFT /00 /
CEMENT	1640'	1400'	1306' OF 31/2"	100'
CEMENT CEMENT	1640' 1290°	1400'		
CEMENT CEMENT CEMENT	1640' 1290' 850'	1400' 1140' 750'	1306' OF 31/2"	100'
LEMENT CEMENT CEMENT CEMENT	1640' 1290°	1400'	1306' OF 31/2"	100'
LEMENT CEMENT CEMENT CEMENT	640' /290' 850' 490' /25'	1400' 1/40' 750' 390' 0'	/306' OF 3'/2" /280' OF 7"	100'
LEMENT CEMENT CEMENT CEMENT	640' /290' 850' 490' /25'	1400' 1/40' 750' 390'	/306' OF 3'/2" /280' OF 7"	100'
LEMENT CEMENT CEMENT CEMENT CEMENT	1640' 1290' 850' 490' 125'	1400' 1140' 750' 390' 0'	1306' OF 31/2" 1280' OF 7"	237'
LEMENT CEMENT CEMENT CEMENT LEMENT Description o		1400' 1140' 750' 390' 0' V ALL CEMEN	1306' OF 31/2" 1280' OF 7"	100'
LEMENT CEMENT CEMENT CEMENT LEMENT Description o	1640' 1290' 850' 490' 125'	1400' 1140' 750' 390' 0' V ALL CEMEN	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	237'
LEMENT CEMENT CEMENT CEMENT Description of said well was continued.		1400' 1140' 750' 390' 0' V ALL CEMEN	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	237'
LEMENT CEMENT CEMENT CEMENT Description of said well was continued.		1400' 1140' 750' 390' 0' V ALL CEMEN	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	237'
CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was contained.	1640' 1290' 850' 490' 125' General Services from monument: 7"(As/not properties on the 17") deponents saith not.	1400' 1140' 1750' 390' 0' ALL CEMEN MG 36" ABOVE ("day of APRIL MICHARD MICHARD MICHARD MICHARD	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	hat the work of blogging and the work of blogging and the control of blogging and the
CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was contained.	## 1290 s ## 1290 s ## 1250 ##	1400' 1140' 1750' 390' 0' ALL CEMEN MG 36" ABOVE ("day of APRIL MICHARD MICHARD MICHARD MICHARD	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	237'
Description of said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well as the said was considered to the	## 1640 ' ## 1290 ' ## 1250' ## 1	1400' 1140' 1750' 390' 0' ALL CEMEN MG 36" ABOVE ("day of APRIL MICHARD MICHARD MICHARD MICHARD	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	hat the work of blogging and the work of blogging and the control of blogging and the
CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was contained.	## 1640 ' ## 1290 ' ## 1250' ## 1	1400' 1140' 1750' 390' 0' ALL CEMEN MG 36" ABOVE ("day of APRIL MICHARD MICHARD MICHARD MICHARD	1306' OF 31/2" 1280' OF 7" TO PLUGS SHOWN W/APITAG and I	hat the work of blogging and the work of blogging and the control of blogging and the
Description of said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well was considered to the said well as the said was considered to the	## 1640 ' ## 1290 ' ## 1250' ## 1	1400' 1140' 1750' 390' 0' ALL CEMEN MG 36" ABOVE ("day of APRIL MICHORD MICHORD	1306' OF 31/2" 1280' OF 9" TO PLUGS SROWND W/APITAG and 1	hat the work of blogging and the work of blogging and the control of blogging and the

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: K	RYDER THOMA	15 + MARY	_Operator Well No.:	2396	
LOCATION: E	evation: //2	25'	Quadrangle:	2, WV 7.5'	
, D	istrct: STONE	NAU	_ County: WAYNE	<u>, </u>	
1:	atitude: (N) 38	0577228			
	ongitude: (w) 82		•		
				GS DEVELOPMENT:	
Well Type: OIL	GAS	_	Un MAY DA	A	
		a we we	Operator FOCA HONTAS Viner 800 PRINCET	W 255/2	
Company C	HESAPEAILE HT	Coal C	Operator Poca Honras	LAND CORP.	
70	DOX 18996	or Ow	mer <u>850 PRINCET</u>	WALL STORM	
<u>01</u>	CLAHOMA CITY 73/54-0	1106	BUEFIELD,		
Acces EA	12 B. GILEZ	PIE or Ow	Operator ARGUS ENE	PGY WU LIC.	
Agent FR	Date 3-5	- 2013			
1 crimit issued	Date 3-7	2013	DUNLOW, U	E MINING COOP	
			AFFIDAVIT 600 PATTER	E MINING CORP.	
STATE OF W5	T VIRGINIA,		CHARLEST	N, W 253/1	•
County of				,	
KICHARD	WOORK and	GROVER	BUTLER heing first d	uly sworn according to law depose	•
				were employed by the above named	
			and filling the above well say the	at said work was commenced on	
		47			
the	_day of _APRIL	20 <u>/</u> 2 and th	ne well was plugged and filled in		1
•		, 20 /_3 and the			1
TYPE	FROM		ne well was plugged and filled in	the following manner:	ı
•	FROM	TO /550 /	ne well was plugged and filled in	the following manner:	
TYPE CAMENT	FROM 1670' 1200' 950'	TO /550 ' //00 ' 850 '	PIPE REMOVED /200 6 5 3 1/2 "	LEFT 528	ı
TYPE CEMENT CEMENT CEMENT CEMENT	FROM 1670' 1200' 950' 375'	TO /550 ' //00 ' 850 ' 275 '	PIPE REMOVED	the following manner:	
TYPE CEMENT CEMENT CEMENT	FROM 1670' 1200' 950'	TO /550 ' //00 ' 850 '	PIPE REMOVED /200 6 5 3 1/2 "	LEFT 528	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1670' 1200' 950' 375' 250'	TO /550 / //00 / 850 / 275 /	PIPE REMOVED /Zoo' of 3'/2' 309' of 85/8"	LEFT 528	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1670' 1200' 950' 375' 250'	TO /550 ' //00 ' 850 ' 275 ' 6' Mu Cen	PIPE REMOVED /200' 6F 3'/2" 309' 0F 85/8"	LEFT 528	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of	FROM (670' /200' 950' 375' 250' Monument: 7*CA5	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /200' 6F 3'/2" 309' 0F 85/8"	LEFT 528	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of	FROM 1670' 1200' 950' 375' 250'	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /200' 6F 3'/2" 309' 0F 85/8" DENT PLUGS	the following manner: LEFT 52.8 Corrections of plugging and filling	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM 1670' 1200' 950' 375' 250' monument: 7'CAS	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	LEFT 528 '	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM (670' /200' 950' 375' 250' Monument: 7*CA5	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 O' Othat the work of plugging and filling STATE OF WEST VIRGIN	······································
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM 1670' 1200' 950' 375' 250' monument: 7'CAS	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 O' Othat the work of plugging and filling	······································
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM 1670' 1200' 950' 375' 250' monument: 7'CAS	TO /550' //00' 850' 275' O' ALL CEN	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 that the work of plugging and filling STATE OF WEST VIRGIN NOTARY PUBLIC AY DESCRIPTION STATE OF WEST VIRGIN NOTARY PUBLIC SPENCER, WY 25276	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM 1670' 1200' 950' 375' 250' monument: 7'CAS	100 /550 / 1/00 / 850 / 275 / 0' ALL CENT AND APRI	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 that the work of plugging and filling STATE OF WEST VIRGIN NOTARY PUBLIC AY Spencer, W 25276 My Commission Expires Fab. 16	
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co And further de	FROM 1670' 1200' 950' 375' 250' monument: 7'Chts. mpleted on the 24' eponents saith not.	100 1550 1 100 1 850 1 275 1 0' ALL CEN May of APRI The Char Source 2 th	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 that the work of plugging and filling STATE OF WEST VIRGIN NOTARY PUBLIC AY Spencer, W 25276 My Commission Expires Feb. 16	IA =
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co	FROM 1670' 1200' 950' 375' 250' monument: 7'Chts. mpleted on the 24' eponents saith not.	100 1550 1 100 1 850 1 275 1 0' ALL CEN May of APRI The Char Source 2 th	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 that the work of plugging and filling STATE OF WEST VIRGIN NOTARY PUBLIC AY Spencer, W 25276 My Commission Expires Fab. 16	IA =
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT Description of said well was co And further de	FROM 1670' 1200' 950' 375' 250' monument: 7'Chts. mpleted on the 24' eponents saith not.	100 1550 1 100 1 850 1 275 1 0' ALL CEN May of APRI The Char Source 2 th	PIPE REMOVED /ZOO' OF 3'/2" 309' OF 85/8" NENT PLUGS VE GROUND WAP, TAG	the following manner: LEFT 528 that the work of plugging and filling STATE OF WEST VIRGIN NOTARY PUBLIC AY Spencer, W 25276 My Commission Expires Feb. 16	IA =

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS AFFIDAVIT OF PLUGGING AND FILLING WELL APRIL 47-103-02363 MAY 9 2013

AFFIDAVIT OF PLUGGING AND FILLING WELD Office of Office

AFFIDAVIT	SHOULD	BE IN TRI	PLICATE,	one copy	mailed to t	he Dep	artment, o	ne c	Spyotan	be retained by	the
Well Operator	and the	third copy	(and extra	copies if	required) s	should	be mailed	to	each	coal reperator	at
their respective	addresse	s.								-2001	

Farm name:	Teel, Ga	y & Dewe	у		Operato	or Well	No.: 62678	9	
LOCATION:	Elevation:	1453'			Quadr	angle:	Wileyville		
District: Proctor				County:		Wetzel		<u>-</u>	
			Feet	South of _	c	Deg	Min	Sec.	_
	Longitude	·	Feet	West of _		_Deg	Min.	Sec.	
Well Type:	OII	GAS X							
			_ 						
Company				F			t Energy Coal H	Energy Inc	
	PO Box 184		19406	or Owne			Consol Energy D sburg, PA 1531		
	Oklanoma	City, OK 73116	-10490	Coal Op	nerator	Canon	Suuly, PA 1931	7-0300	
Agent	Fric Gille	spie		or Owne			_ _		
Permit Issu		4-19-2013		or Owne	<i>,</i> 1				
1 0111110 1000									
				Al	FFIDAV	/IT			
STATE OF W		•							
County of		SS:							
Rodney Osbor	me	and_	Charles Mo	ore			being first o	duly sworn according	ng to law depose
well operator	, and particip	ated in the v	vork of pl	ugging an	d filling	the abo	ove well say t	were employed by the hat said work was n the following mann	commenced on
TYPE	FF	ROM	TO		PI	PF RF	MOVED	LEF	т 1
C1A Cement	i	40'		urface		PIPE REMOVED		40' of 2	 i
	İ	i		İ				1	
									
Description	of monumen	nt: Aluminum plate w/	Ches., API, Well f	, Plugged Date, we	elded on 4° squ	ared tubing 3	6° above ground and	that the work of plu	ugging and filling
said well was			day of Ap			20 <u>13</u> .			
		•••	Pada				-	www.mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm	žio.
And turtner	deponents s	saith not.	K OCEAN	y				THINK E LAND	Shilly.
			Cha	N 100	raore			NOTARY	
			0 -14	1.	0-1			O. PUBLIC PUBLIC ID NO. 426403	. : "]
Sworn and	subscribe be	efore me this	25 mg	ay of	RUIT		20 7	MX COMMISSION	
My commission	n expires:	7-26-14			$\overline{\mathcal{M}}$	كالما	Ue HO	BC 21 000612014	
				و		N	lotary Public	AT LARC	WENTER.
Affidavit review	wed by the O	ffice of Oil ar	nd Gas: _		1			Title:	rober